## SEAT





Your technical bit.

Data & Equipment.

#### Standard O Optional

- Not available
- <sup>1</sup> With airbag deactivation for front passenger.
- <sup>2</sup> With Cruise Control system for Style, Xcellence and FR. <sup>3</sup> Requires LED interior Wrapearound Ambient Light (PLH).
- 4 Only available with DQ engines. Requires LED interior
- Wrapearound Ambient Light (PLH).

  5 Only available with DQ engines. Requires LED interior Wrapearound Ambient Light (PLH) and Safe and NCAP Pack (WSF).
- <sup>6</sup> Not compatible with SEAT CONNECT (R3B and R3C). <sup>7</sup> With 4 handholds for Style (5N4).
- <sup>8</sup> Includes standard wheel bolts.
- Includes wheel bolts with anti-theft protection.
   Not available for DG1 engine (1.0 TSI 90HP (66kW)).
- <sup>11</sup> Available from w.30, 2020.
- <sup>12</sup> Available from w.48, 2020.
- <sup>13</sup> Available from w.35, 2020.
- <sup>14</sup> Optional only for engines until 110 kW.

Safety	Reference	Style	Xcellence	FR
3-point seat belts in front and rear	•	•	•	•
Visual and acoustic seat belt reminder with electric contact in front and rear	•	•	•	•
Child seat anchors for child seat system i-Size	•	•	•	•
6 Airbags (2 front, 2 front side and 2 curtain) <sup>1</sup>	•	•	•	•
Rear side airbag and knee airbag: Side airbag in front and rear with curtain airbag, airbag for driver and front passanger with knee airbag and front passanger airbag deactivation	-	0	0	0
Safe Pack <sup>2</sup> : Forward collision warning with braking reaction to vehicles, pedestrians and cyclists. It includes multi-functional camera, lane keeping system, speed limiter and driver alert system	•	•	•	•
Safe and Driving Pack M in combination with Media System+ 8.25": High Beam Assist	-	0	0	0
Safe and Driving Pack M in combination with Navi System+: High Beam Assist and Traffic Sign Recognition	-	0	0	0
Safe and Driving Pack L in combination with Media System+ 8.25" <sup>3</sup> : High Beam Assist, Side Assist and Exit Assist	-	-	0	0
Safe and Driving Pack L in combination with Navi System+*: Side Assist, Exit Assist, High Beam Assist and Traffic Sign Recognition	-	-	0	0
Safe and Driving Pack XL in combination with Media System+ 8.25": Light Assist, Adaptive Cruise Control, Side Assist and multi-functional heated leather steering wheel with tiptronic	-	_	0	0
Safe and Driving Pack XL in combination with Navi System+5: Light Assist, Adaptive Cruise Control Predictive, Side Assist, Exit Assist, Traffic Sign Recognition and multi-functional heated leather steering wheel with tiptronic	-	-	0	0
Public emergency call (eCall) <sup>6</sup>	0	0	0	0

Exterior	Reference	Style	Xcellence	FR
Exterior mirror in body colour	•	•	•	•
Rear spoiler	•	•	•	•
Electric sunroof with spoiler <sup>7</sup>	_	0	0	0
Sports bumpers	_	•	-	•
Heat-insulating windshield glass	•	•	•	•
Rear dark tinted windows	_	0	•	•
Chromed Pack with bright window frames	_	0	•	0
Glossy Black frame windows with black decorative trims	-	-	-	0
Breakdown kit	•	•	•	•
Tire pressure monitoring system	•	•	•	•
All season tires 205/55 R16 94V xl	0	0	-	-
All season tires 16"	-	0	-	-
All season tires 16" with Urban 16" steel wheel <sup>8</sup>	0	-	-	-
All season tires 16" with Design 16" alloy wheels9	0	-	-	-
Urban 15" steel wheels	•	-	-	-
Urban 16" steel wheels <sup>8</sup>	0	-	-	-
Urban 16" alloy wheels <sup>9</sup>	0	•	-	-
Dynamic 17" alloy wheels <sup>10</sup>	_	0	-	-
Dynamic 17" alloy wheels	_	-	•	_
Dynamic 17" alloy wheels	-	-	-	•
Performance 18" Machined alloy wheels in Nuclear Grey	<del>-</del>	-	0	-
Performance 18" Machined alloy wheels in Cosmo Grey	_	-	-	0
Performance 18" 30/9 Machined alloy wheels in Cosmo Grey <sup>11</sup>	-	-	-	0
Performance 18" 30/8 Machined alloy wheels in Nuclear Grey <sup>12</sup>	-	-	0	-
Performance 18" Machined eHybrid aerowheels in Nuclear Grey <sup>13</sup>	_	-	0	-
Performance 18" Machined eHybrid aerowheels in Cosmo Grey <sup>13</sup>	_	_	-	0
Performance 18" Machined alloy wheels with sporty tires <sup>14</sup>	_	_	0	0
Spare wheel 18"	0	0	0	0

•	Standard	
0	Optional	

Not available

Available from w.24, 2020.
Three handholds.

17 Four handholds.

<sup>18</sup> Available from w.30, 2020.

19 Only passenger seat for Reference.
20 Only passenger seat for Style.
21 With central armrest for Xcellence and FR.

Optional for Style within Style Comfort Pack.
 Not available with eTSI engines. Requires Style

Comfort for Style (P2A).

Requires Emergency spare wheel 18" (PG6). Not available for eTSI engines. Available with optional infotainment from w.24/2020.
 Requires Rear Parking Sensor (PAK).

Exterior	Reference	Style	Xcellence	FR
Tool kit	•	•	•	•
Tool kit and jack	0	0	0	0
Towing hook preparation <sup>15</sup>	0	0	0	0
Towing hook from factory <sup>15</sup>	0	0	0	0
Wheel bolts with unlockable anti-theft protection	0	0	0	0
Interior				
Folding grab handles <sup>16</sup>	•	•	_	-
Multi-piece folding grab handles <sup>17</sup>	_	_	•	•
Gearshift knob/handle in plastic	•	-	-	
Gearshift knob/handle in leather	_	•	•	•
Grey greenhouse	•	•	•	•
Black greenhouse	_	-	0	0
Cloth comfort seats	•	•	•	•
Dinamica sport seats <sup>18</sup>	-	0	0	0
Leather Black sport seats <sup>18</sup>	-	0	0	0
Steering wheel with trim pin	-	-	•	•
Multi-functional sport leather steering wheel	=	•	•	•
Manual height adjustment for front seats <sup>19</sup>	•	•	•	•
Manual lumbar support adjustment for front seats <sup>20</sup>	-	•	•	•
Drawer under left front seat	-	•	•	•
Luggage pockets on backrest		•	•	•
Unsplit rear seat bench, split folding backrest <sup>21</sup>	•	•	•	•
Comfort luggage compartment	•	•	•	•
Interior chrome inserts	-	•	•	•
Illuminated door step	=	-	•	•
Sun visors with illuminated mirror	-	•	•	•
Sun visors with ticket pocket on driver side and airbag label	•	-	-	-
Dimming breakaway interior rearview mirror	•	•	-	•
1 zone Climatronic	•	•	-	-
3 zone Climatronic <sup>22</sup>	_	0	•	•
One reading light in front	•	-	_	-
Two reading lights in front and two in rear	_	•	•	•

Interior	Reference	Style	Xcellence	FR
Operating voltage 12 V	•	•	•	•
Alternator 140 A	•	•	•	•
Transport protection film	0	0	0	0
Storage Pack <sup>23</sup> : Drawer under the right front seat, document holder under left front seat, decorative inserts for console, cupholder, front armrest, horitzontal net in boot, double floor in boot and luggage compartment trim with storage compartments	<u>-</u>	0	0	0
Electronics				
Instrument cluster with km/h speedometer	•	•	•	•
External USB with socket front	•	•	-	_
Antenna for FM reception only	•	•	•	•
SEAT Digital Cockpit	_	0	•	•
SEAT Media System+ 8.25"	•	•	•	•
Multi-functional medium display computer	•	•	-	_
Mobile phone interface	-	•	•	•
Digital Audio Broadcasting (DAB) with digital radio reception	0	0	0	0
4 speakers (passive)	•	-	_	_
6 speakers (passive)	_	•	•	•
<b>BeatsAudio™ sound system²4:</b> 9 premium speakers, a subwoofer box, a 340W amplifier and surround technology	-	0	0	0
Driving profile selector and conventional shock absorber	-	-	-	•
Interior Smart Wrapearound				•
LED Interior Ambient Light with Smart Wrapearound		_	•	0
Rear View Camera <sup>25</sup>		0	0	0
Park Assist	_	0	0	0
Connectivity Box: Wireless charger and Mobile Signal Amplifier	-	0	0	0
Wireless Full Link technology for Navi System+ with Media Control	<del>-</del>	0	0	0



<sup>26</sup> Requires SEAT Digital Cockpit (PFK), Cartography (PZ4) and SEAT CONNECT (R3C or R3D) if available.

<sup>27</sup> Without Safelock.

<sup>28</sup> Requires alarm. <sup>29</sup> Requires Safe and NCAP Pack (WSF).

30 Only available for DQ9, DS9, DN4 and D81 engines.

Electronics	Reference	Style	Xcellence	FR
Navi System+ <sup>26</sup> : Options in infotainment (MIB3), voice control and wireless "RSE App"	_	0	0	0
Cartography for Europe with Mapcare	-	0	0	0
SEAT CONNECT with Navi System+	_	0	0	0
Rear parking sensor with park distance control	_	0	•	•
Electronic Cruise Control system (CCS)	_	•	•	•
Central locking system Keyless Go <sup>27</sup>	•	•	•	•
Keyless Advanced <sup>27</sup>	_	0	0	0
Keyless Advanced with Safe <sup>28</sup>	_	0	0	0
Tailgate lid unlocking from outside	•	•	•	•
Electronic parking brake	•	•	•	•
Electronic differential lock XDS with dynamic traction support	•	•	•	•
Brake control system for vehicles without electric drive (ESC and electromechanical brake booster)	•	•	•	•
Electronic immobilizer	•	•	•	•
Speed-related variable steering assist (Servotronic)	•	•	•	•
Power-adjustable exterior mirrors	•	-	-	-
Power-adjustable heated exterior mirror	0	•	_	-
Foldable heated exterior mirrors with front passanger lowering function	_	0	•	•
Windshield wiper intermittent control with potentiometer (four speeds)	•	•	_	•
Heat-insulating side and rear windows glass	•	•	-	_
Power windows with comfort operation and circuit breaker	•	•	•	•
Single-tone horn	•	_	-	_
Two-tone horn	_	•	•	•
Headlight range control	•	•	•	•
Eco LED headlamps	•	•	•	•
Eco LED rear lamp	•	•	_	-
Full LED rear lamp (Infinite Light)	_	_	•	•
LED fog lamps with cornering function	0	0	•	•

Electronics	Reference	Style	Xcellence	FR
Separate daytime running light with automatic headlight control	•	•	-	•
LED Interior Illumination Pack: Front and rear reading lights, sunvisor, boot and glove box in LED	0	•	-	-
LED Interior Illumination Pack: Front LED lights in footwell and conectivity box area LED illumination	-	0	-	-
Full LED with automatic headlight adjustment: LED Headlamp, Full LED rear lamps with dynamic light and Welcome Light	-	0	0	0
Reference Pack <sup>29</sup> : Multi-funcional sport leather steering wheel, mobile phone interface, gearshift knob/handle in leather, Cruise Control system and speed limiter	0	-	-	-
Style Comfort Pack: Center armrest in front, external USB in socket front and rear and 3-zone Climatronic with air conditioning control panel in rear	-	0	•	•
Winter Pack: Heated front seats, wash water and steering wheel	_	0	0	0
Convenience Pack: Rain and auto-dimming light sensor with Coming and Leaving Home, windshield wiper intermittent control and breakaway interior rearview mirror	-	0	•	0
<b>Dynamic and Comfort Pack<sup>30</sup>:</b> SEAT Drive Profile, Dynamic Chassis Control, Progressive steering, Sport HMI, disc brakes and shock absorption in front	-	-	0	0

## Leon Sportstourer.

#### Standard

- O Optional - Not available
- <sup>1</sup> With airbag deactivation for front passenger.
- With Cruise Control system for Style, Xcellence and FR.
- Requires LED interior Wrapearound Ambient Light (PLH).
   Only available with DQ engines. Requires LED interior
- Wrapearound Ambient Light (PLH).
- Only available with DQ engines. Requires LED interior Wrapearound Ambient Light (PLH) and Safe and NCAP Pack (WSF).
- <sup>6</sup> Not compatible with SEAT CONNECT (R3B and R3C).
- With 4 handholds for Style (5N4). Available from w.30, 2020.
- 8 Includes standard wheel bolts.
- <sup>9</sup> Includes wheel bolts with anti-theft protection.
- 10 Not available for DG1 engine (1.0 TSI 90 HP (66 kW)).
- <sup>11</sup> Available from w.30, 2020.
- 12 Available from w.48, 2020.
- <sup>13</sup> Available from w.35, 2020.
- <sup>14</sup> Optional only for engines until 110 kW.

Safety	Reference	Style	Xcellence	FR
3-point seat belts in front and rear	•	•	•	•
Visual and acoustic seat belt reminder with electric contact in front and rear	•	•	•	•
Child seat anchors for child seat system i-Size	•	•	•	•
6 Airbags (2 front, 2 front side and 2 curtain)¹	•	•	•	•
Rear side airbag and knee airbag: Side airbag in front and rear with curtain airbag, airbag for driver and front passanger with knee airbag and front passanger airbag deactivation	-	0	0	0
Safe Pack <sup>2</sup> : Forward collision warning with braking reaction to vehicles, pedestrians and cyclists. It includes multi-functional camera, lane keeping system, speed limiter and driver alert system	0	0	0	0
Safe and Driving Pack M in combination with Media System+ 8.25": High Beam Assist	_	0	0	0
Safe and Driving Pack M in combination with Navi System+: High Beam Assist and Traffic Sign Recognition	-	0	0	0
Safe and Driving Pack L in combination with Media System+ 8.25"3: High Beam Assist, Side Assist and Exit Assist	-	-	0	0
Safe and Driving Pack L in combination with Navi System+³: Side Assist, Exit Assist, High Beam Assist and Traffic Sign Recognition	-	-	0	0
Safe and Driving Pack XL in combination with Media System+ 8.25"*: Light Assist, Adaptive Cruise Control, Side Assist and multi-functional heated leather steering wheel with tiptronic	-	-	0	0
Safe and Driving Pack XL in combination with Navi System+5: Light Assist, Adaptive Cruise Control Predictive, Side Assist, Exit Assist, Traffic Sign Recognition and multi-functional heated leather steering wheel with tiptronic	-	_	0	0
Public emergency call (eCall) <sup>6</sup>	0	0	0	0
Alarm with safe function	0	0	0	0

Exterior	Reference	Style	Xcellence	FR
Exterior mirror in body colour	•	•	•	•
Rear spoiler	•	•	•	•
Panoramic sunroof with spoiler <sup>7</sup>	-	0	0	0
Sports bumpers	-	-	-	•
Heat-insulating windshield glass	•	•	•	•
Rear dark tinted windows	-	0	•	•
Black roof rails	•	•	_	•
Chromed Pack: Bright window frames and bright roof rails	_	0	•	0
Glossy Black Pack: Glossy black roof rails and black decorative trims	_	-	-	0
Breakdown kit	•	•	•	•
Tire pressure monitoring system	•	•	•	•
All season tires 205/55 R16 94V xl	0	0	=	-
All season tires 16"	_	0	=	-
All season tires 16" with Urban 16" steel wheel <sup>8</sup>	0	-	=	-
All season tires 16" with Design 16" alloy wheels9	0	-	_	_
Urban 15" steel wheels	•	-	=	-
Urban 16" steel wheels <sup>8</sup>	0	-	=	-
Urban 16" alloy wheels <sup>9</sup>	0	•	=	-
Dynamic 17" alloy wheels <sup>10</sup>	_	0	_	_
Dynamic 17" alloy wheels	-	-	•	-
Dynamic 17" alloy wheels	_	-	=	•
Performance 18" Machined alloy wheels in Nuclear Grey	/ -	-	0	-
Performance 18" Machined alloy wheels in Cosmo Grey	/ -	-	=	0
Performance 18" 30/9 Machined alloy wheels in Cosmo Grey <sup>11</sup>	-	-	-	0
Performance 18" 30/8 Machined alloy wheels in Nuclear Grey <sup>12</sup>	-	-	0	-
Performance 18" Machined eHybrid aerowheels in Nuclear Grey <sup>13</sup>	_	-	0	-
Performance 18" Machined eHybrid aerowheels in Cosmo Grey <sup>13</sup>		-		0
Performance 18" Machined alloy wheels with sporty tires <sup>14</sup>		-	0	0
Spare wheel 18"	0	0	0	0

### StandardOptional

Not available

15 Four handholds.

Four narrancias.
Available from w.30, 2020.
Only passenger seat for Reference.
Only passenger seat for Style.
With central armrest for Style, Xcellence and FR. 20 Optional for Style within Style Comfort Pack.
21 Not available with eTSI engines.
Requires Style Comfort for Style (P2A).

Requires Emergency spare wheel 18" [PG6]. Not available for eTSI engines. Available with optional infotainment from w.24/2020.
Requires Rear Parking Sensor [PAK]

or Park Assist and PLA (PK5).

Requires SEAT Digital Cockpit (PFK), Cartography (PZ4) and SEAT CONNECT (R3C or R3D) if available.

Exterior	Reference	Style	Xcellence	FR
Tool kit	•	•	•	•
Tool kit and jack	0	0	0	0
Towing hook preparation	0	0	0	0
Towing hook from factory	0	0	0	0
Wheel bolts with unlockable anti-theft protection	0	0	0	0

Interior				
Multi-piece folding grab handles <sup>15</sup>	•	•	•	•
Gearshift knob/handle in plastic	•	_	_	_
Gearshift knob/handle in leather	-	•	•	•
Grey greenhouse	•	•	•	•
Black greenhouse	-	-	0	0
Cloth comfort seats	•	•	•	•
Dinamica sport seats <sup>16</sup>	-	0	0	0
Leather Black sport seats <sup>16</sup>	-	0	0	0
Steering wheel with trim pin	-	_	•	•
Multi-functional sport leather steering wheel	-	•	•	•
Manual height adjustment for front seats <sup>17</sup>	•	•	•	•
Manual lumbar support adjustment for front seats <sup>18</sup>	-	•	•	•
Drawer under left front seat	-	•	•	•
Luggage pockets on backrest	-	•	•	•
Unsplit rear seat bench, split folding backrest <sup>19</sup>	•	•	•	•
Comfort luggage compartment	•	•	•	•
Interior chrome inserts	-	•	•	•
Illuminated door step	-	-	•	•
Sun visors with illuminated mirror	-	•	•	•
Sun visors with ticket pocket on driver side and airbag label	•	=	=	=
Dimming breakaway interior rearview mirror	•	•	_	•
1 zone Climatronic	•	•	_	_
3 zone Climatronic <sup>20</sup>	-	0	•	•
One reading light in front	•	•	-	_
Two reading lights in front and two in rear	-	•	•	•
Operating voltage 12 V	•	•	•	•

Interior	Reference	Style	Xcellence	FR
Alternator 140 A	•	•	•	•
Transport protection film	0	0	0	0
Storage Pack <sup>21</sup> : Drawer under the right front seat, document holder under left front seat, decorative inserts for console, cupholder, front armrest, horitzontal net in boot, double floor in boot and luggage compartment trim with storage compartments	-	0	0	0
Electronics				
Instrument cluster with km/h speedometer	•	•	•	•
External USB with socket front	•	•	=	-
Antenna for FM reception only	•	•	•	•
SEAT Digital Cockpit	_	0	•	•
SEAT Media System+ 8.25"	•	•	•	•
Multi-functional medium display computer	•	•	=	-
Mobile phone interface	_	•	•	•
Digital Audio Broadcasting (DAB) with digital radio reception	0	0	0	0
4 speakers (passive)	•	-	=	-
6 speakers (passive)	_	•	•	•
<b>BeatsAudio™ sound system<sup>22</sup>:</b> 9 premium speakers, a subwoofer box, a 340W amplifier and surround technology	-	0	0	0
Interior Smart Wrapearound	_	-	=	•
LED Interior Ambient Light with Smart Wrapearound	-	-	•	0
Rear View Camera <sup>23</sup>	_	0	0	0
Park Assist	-	0	0	0
Connectivity Box: Wireless charger and mobile signal amplifier	_	0	0	0
Wireless Full Link for Navi System+ with Media Control	-	0	0	0
Navi System+ <sup>24</sup> : Options in infotainment (MIB3), voice control and wireless RSE "App"	-	0	0	0
Cartography for Europe with Mapcare	_	0	0	0



- Not available

<sup>25</sup> Without Safelock. <sup>26</sup> Requires alarm.

27 Requires Safe and NCAP Pack (WSF).
28 Only available for DQ9, DS9, DN4 and D81 engines.

Electronics	Reference	Style	Xcellence	FR
SEAT CONNECT with Navi System+	-	0	0	0
Rear parking sensor with park distance control	=	0	•	•
Electronic Cruise Control system (CCS)	_	•	•	•
Central locking system Keyless Go <sup>25</sup>	•	•	•	•
Keyless Advanced <sup>25</sup>	-	0	0	0
Keyless Advanced with Safe <sup>26</sup>	-	0	0	0
Tailgate lid unlocking from outside	•	•	•	•
Electronic parking brake	•	•	•	•
Electronic differential lock XDS with dynamic traction support	•	•	•	•
Brake control system for vehicles without electric drive (ESC and electromechanical brake booster)	•	•	•	•
Electronic immobilizer	•	•	•	•
Speed-related variable steering assist (Servotronic)	•	•	•	•
Power-adjustable exterior mirrors	•	-	-	-
Power-adjustable heated exterior mirror	0	•	-	-
Foldable heated exterior mirrors with front passanger lowering function	_	0	•	•
Windshield wiper intermittent control with potentiometer (four speeds)	•	•	-	•
Heat-insulating side and rear windows glass	•	•	-	-
Power windows with comfort operation and circuit breaker	•	•	•	•
Single-tone horn	•	•	-	-
Two-tone horn	_	•	•	•
Headlight range control	•	•	•	•
Eco LED headlamps	•	•	•	•
Full LED rear lamp (Infinite Light)	•	•	•	•
LED fog lamps with cornering function	0	0	•	•
Separate daytime running light with automatic headlight control	•	•	-	•
LED Interior Illumination Pack: Front and rear reading lights, sunvisor, boot and glove box in LED	0	•	-	-

Electronics	Reference	Style	Xcellence	FR
LED Interior Illumination Pack: Front LED lights in footwell and conectivity box area LED illumination	_	0	-	-
Full LED with automatic headlight adjustment: LED Headlamp, Full LED rear lamps with dynamic light and Welcome Light	-	0	0	0
Reference Pack <sup>27</sup> : Multi-funcional sport leather steering wheel, mobile phone interface, gearshift knob/handle in leather, Cruise Control system and speed limiter	0	-	-	-
Style Comfort Pack: Center armrest in front, external USB in socket front and rear and 3-zone Climatronic with air conditioning control panel in rear	-	0	•	•
Winter Pack: Heated front seats, wash water and steering wheel	_	0	0	0
Convenience Pack: Auto-dimming Light and Rain Sensor with Coming and Leaving Home, windshield wiper intermittent control and breakaway interior rearview mirror	-	0	•	0
<b>Dynamic and Comfort Pack<sup>28</sup>:</b> SEAT Drive Profile, Dynamic Chassis Control, Progressive steering, Sport HMI, disc brakes and shock absorption in front	_	_	0	0

## Accessories.

#### Customisation

Rear spoiler in Cosmo Grey	5FA071640 GRU
Side skirts in Cosmo Grey	5FA071685 GRU
Rear diffuser in Cosmo Grey	5FA071611A 67E
Rear spoiler in Carbon fibre	5FA071606
Exterior mirrors in Carbon fibre	5FA072530
Rear spoiler in body colour	5FA071640 GRU
Side skirts in body colour	5FA071685 GRU
Front moulding in matt chrome	5FA071005
Rear diffuser in matt chrome	5FA071611A 3Q7
Pedals (manual)	5FA064200 3Q7
Pedals (automatic)	5FA064205 3Q7
Footrest	5FA071750 3Q7

#### Transport

000071120HA
000071129S
000071129T
000071129R
000071200T
000071200AB
000071180A
000071200AG
5FA071151
000071156C
5FA092160A
5FA055204
5F9071128
000071128G
000071129L
000071128H
000071128J
000071223

#### Interior

Inox side sills	5FA071691A
Foil side sills	5FA071310
Chrome-plated hanger	000061127E
Multi-hanger	000061127D

Floor mats serie	5FB863011 LOE
Floor mats serie (right hand drive vehicles)	5FC863011 LOE
Floor mats serie MHEV	5FB863011C LOE
Floor mats serie MHEV (right hand drive vehicles)	5FC863011C LOE
Classic floor mats FR	5FB863011B LOE
Classic floor mats FR (right hand drive vehicles)	5FC863011B LOE
Classic floor mats XC	5FB863011A LOE
Classic floor mats XC (right hand drive vehicles)	5FC863011A LOE
TPE Tuffting floor mats	5FB061675A 041
Custom floor mats	5FB061675 041
Rubber floor mats	5FB061500 041
Rubber floor mats (right hand drive vehicles)	5FC061500 041
Rear bumper protective foil	5FA071363
Rear bumper protective moulding	5FA061155
Semi rigid boot tray	5FA061201B
Foam boot tray	5FA061201
High walls boot tray	5FA061201C
Reversible boot mat	5FA061201A
Key cover FR	5FA087013B
Key cover XC	5FA087013A
Key cover Leather	5FA087013
Front mudflaps	5FA075111
Rear mudflaps	5FA075101
Car cover	5FA061701
Protective seat cover for dogs	000061609C

#### Infotainment

Parrot® MiniKit Neo 2 HD - BLACK	000051473AE041
Start 62 EU 45	000051818CE
GO 520 EU 45	000051818CJ
GO 620 EU 45	000051818CK
GO 5200 EU 45	000051818CL
GO 6200 EU 45	000051818CM
Universal magnetic mount	000051991K
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Tetrax FIX	000096320GMAAC
SEAT Full Link	5F0054830
Navlet 10i Full Hd Tablet + Support	000051232R
USB to Type C adapter	000051444AP
Charging cable 3 in 1	000051444AM
Inductive charger	000051763Q
Universal smartphone support	000061129F

Security ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE Peke G0 I-Size	000019907A
Base ISOFIX PEKE GO i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
Base ISOFIX Peke for Baby-safe Plus SHR II	000019230C
KIDFIX XP safety seat	000019906M
Safety Dog Harness - Size XL	000084310B
Safety Dog Harness - Size L	000084310C
Safety Dog Harness - Size M	000084310D
Safety Dog Harness - Size S	000084310E
CB alarm for klaxon	000054600
SAMART safety pack	000093996C
9,900 mAh battery jump starter	000051763F
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H1 Xenon bulb + 90%	000052001M
H3 Xenon bulb + 90%	000052003M
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box.	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
T4W LED	000052010C
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Folding shovel	000069704A
Smart tracker key finder	000087013BB
Warning triangle	000093056A - 000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C

Fluorescent vest	000093900ID - 000093900SA - 000093901ID	
Safety Pack (triangles + vest)	000093990R	
Seat belt Top Tether	3R0019900	
Triangle fastening support	6K0860265	
Kaza live alert smartwatch	000054635E	
Additional interior mirror	000084418A	
Help Flash	000052122A	
Seat belt pad	000069629B	
Automatic puncture kit	000093059AE	
Current converter 300W	000063828	
Rear baby mirror	000072549C	
Maintenance		
First-aid kit	6L0093000	
Insect remover	000096320FRABH	
Interior cleaner	000096320FRABK	
Dashboard Cleaner	000096320FRABM	
300 ml concentrated shampoo	000096320GFAAB	
300 ml windscreen wash	000096320GFAAD	
Summer maintenance kit	000096354B	
Winter maintenance Kit	000071980BPADA	
Maintenance kit	000071980CL	
Insilver Passion refill air freshener	000091500E	
Mixt fruit refill air freshener	000091500FM	
Red fruits refill air freshener	000091500FR	
Mild herbs air freshener refill	000091500HS	
Alize aroma air freshener	000091500L	
Calima aroma air freshener	000091500M	
Fresh mint refill air freshener	000091500MC	
Mistral aroma air freshener	000091500N	
Sirocco aroma air freshener	000091500P	
Zephyros aroma air freshener	000091500Q	

Child car seats	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
ISOFIX Baby-safe Plus SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
Child safety Kidfix XP	4 to 12 years

## Accessories.

#### Customisation

Rear spoiler in Cosmo Grey	5FE071640 GRU
Side skirts in Cosmo Grey	5FA071685 GRU
Rear diffuser in Cosmo Grey	5FE071611 67E
Exterior mirrors in Carbon fibre	5FA072530
Rear spoiler in body colour	5FE071640 GRU
Side skirts in body colour	5FA071685 GRU
Front moulding in matt chrome	5FA071005
Rear diffuser in matt chrome	5FE071611 3Q7
Pedals (manual)	5FA064200 3Q7
Pedals (automatic)	5FA064205 3Q7
Footrest	5FA071750 3Q7

Iransport	
Surfrack	000071120HA
Ski rack for 4 pairs or 2 snowboards	000071129S
Ski rack for 6 pairs or 4 snowboards	000071129T
Ski rack xtender	000071129R
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Roof box - 460l	000071200AG
Roof Bars	5FE071151
Bag for SEAT roof bars	000071156C
Tow bar	5FA092160A
Electric kit (w/o prewiring)	5FA055204
Bike rack	5F9071128
Towing Bike Rack	000071128G
Towing ski rack	000071129L
Towing bracket bicycle carrier	000071128H
Bicycle rack extension kit	000071128J
Load-Stop rack	000071223

#### Interior

Inox side sills	5FA071691A
Foil side sills	5FA071310
Chrome-plated hanger	000061127E
Multi-hanger	000061127D

Protection Floor mats serie	5FB863011 LOE
Floor mats serie (right hand drive vehicles)	5FC863011 LOE
Floor mats serie MHEV	5FB863011C LOE
Floor mats serie MHEV (right hand drive vehicles)	5FC863011C LOE
Classic floor mats FR	5FB863011B LOE
Classic floor mats FR (right hand drive vehicles)	5FC863011B LOE
Classic floor mats XC	5FB863011A LOE
Classic floor mats XC (right hand drive vehicles)	5FC863011A LOE
TPE Tuffting floor mats	5FB061675A 041
Custom floor mats	5FB061675 041
Rubber floor mats	5FB061500 041
Rubber floor mats (right hand drive vehicles)	5FC061500 041
Rear bumper protective foil	5FA071363
Rear bumper protective moulding	5FE061155
Semi rigid boot tray	5FE061201B
Foam boot tray	5FE061201
High walls boot tray	5FE061201C
Reversible boot mat	5FE061201A
Key cover FR	5FA087013B
Key cover XC	5FA087013A
Key cover Leather	5FA087013
Front mudflaps	5FA075111
Rear mudflaps	5FE075101
Car cover	5FE061701
Protective seat cover for dogs	000061609C
Separation grille	5FE017221

#### Infotainment

Parrot® MiniKit Neo 2 HD - BLACK	000051473AE041
Start 62 EU 45	000051818CE
GO 520 EU 45	000051818CJ
GO 620 EU 45	000051818CK
GO 5200 EU 45	000051818CL
GO 6200 EU 45	000051818CM
Universal magnetic mount	000051991K
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Inductive charger	000051763Q
Tetrax FIX	000096320GMAAC
SEAT Full Link	5F0054830
Navlet 10i Full Hd Tablet + Support	000051232R
USB to Type C adapter	000051444AP
Charging cable 3 in 1	000051444AM
Universal smartphone support	000061129F

ISOFIX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE Peke GO I-Size	000019907A
Base ISOFIX PEKE G0 i-Size	000019230L
ISOFIX Baby-safe Plus SHR II	000019907B
Base ISOFIX Peke for Baby-safe Plus SHR II	000019230C
KIDFIX XP safety seat	000019906M
Safety Dog Harness - Size XL	000084310B
Safety Dog Harness - Size L	000084310C
Safety Dog Harness - Size M	000084310D
Safety Dog Harness - Size S	000084310E
CB alarm for klaxon	000054600
SAMART safety pack	000093996C
9,900 mAh battery jump starter	000051763F
20,000 mAh battery jump starter + charger	000051763H
Lamp box H1 + H3 + H8	000052001B
H1 Xenon bulb + 90%	000052001M
H3 Xenon bulb + 90%	000052003M
H4 lamp box	000052004C
H4 Xenon bulb + 90%	000052004M
H7 lamp box.	000052007B
H7 Xenon bulb + 90%	000052007M
C5W 41mm LED	000052010B
T4W LED	000052010C
C5W 36 mm LED	000052010D
W5W LED	000052010E
Beeper parking sensor	000054752D
Folding shovel	000069704A
Smart tracker key finder	000087013BB
Warning triangle	000093056A - 000093600B
Safety reflective vest	000093056J
Emergency triangle pack	000093600C

Fluorescent vest	000093900ID - 000093900SA - 000093901ID
Travel pack - LongLife III 5W-30 Castrol EDGE Professional	000093990AL
Travel pack - OriLHDnal LongLife III 5W-31	000093990AM
Safety Pack (triangles + vest)	000093990R
Seat belt Top Tether	3R0019900
Triangle fastening support	6K0860265
Kaza live alert smartwatch	000054635E
Additional interior mirror	000084418A
Help Flash	000052122A
Seat belt pad	000069629B
Automatic puncture kit	000093059AE
Current converter 300W	000063828
Rear baby mirror	000072549C

Maintenance	
First-aid kit	6L0093000
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300 ml concentrated shampoo	000096320GFAAB
300 ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance Kit	000071980BPADA
Maintenance kit	000071980CL
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Child car seats	Age (approximate)		
SEAT PEKE Peke GO I-Size Plus	Up to 15 months		
ISOFIX Baby-safe Plus SHR II	Up to 15 months		
SEAT PEKE G1 I-Size Trifix	9 months to 4 years		
ISOFIX Duo Plus	9 months to 4 years		
Child safety Kidfix XP	4 to 12 years		

EAT Sportstoure

Engine		1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-6	1.0 eTSI 110 HP (81 kW) DSG - 71
Cylinder/Valve (total)		3/12	3/12	
Displacement (cc)		999	999	
Cylinder bore and stroke (mm)		74.5/76.4	74.5/76.4	
Compression ratio		11.5	11.5	
Maximum power (kW (HP)/rpm)		66 (90)/5500	81 (110)/5500	81 (110)
Maximum torque (Nm/rpm)		175/1500 - 4000	200/2000 - 3000	
Fuel supply system		TSI Direct Injection	TSI Direct Injection	
Ignition		Electronic map-controlled ignition		
Atmospheric/Supercharged		Turbo charged	Turbo charged	
Fuel type		ROZ 95	ROZ 95	
Oil capacity in initial fill (I)		4.3	4.3	
Emission control				
Alternator (A)		140 ME	140 ME	
Battery (Ah/A)		59 - 70/320 - 420	59 - 68 - 70/320-380 - 420	
Performance				
Maximum speed (km/h)		183 (IV)	197 (V)	192*
Acceleration 0-80 km/h (s)		8.2	7.2	
Acceleration 0-100 km/h (s)		12.7	10.9	10.8*
Acceleration 80-120 km/h (s)		12	14.1	
Acceleration 1000 m (s)		34.5	32.6	
Fuel consumption				
Urban (l/100 km)				
Extra urban (l/100 km)			-	
Combined (l/100 km)			-	
CO <sub>2</sub> mass emission				
CO <sub>2</sub> Urban (g/km)				
CO <sub>2</sub> Extra Urban (g/km)		<del>-</del>		
CO <sub>2</sub> Combined (g/km)			_	
Transmission				
Gearbox type		MQ200-5F	MQ200-6F	
		3.769	3.769	
Ratios	<u> </u>			
		1.947	1.947	
	III	1.212	1.281	
	IV	0.881	0.973	
	V	0.673	0.778	
	VI		0.642	
	VII			

Th	e d	ata	ısh	OW	n
is <sub>I</sub>	pro	visi	on	al	

Transmission	1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-6	1.0 eTSI 110 HP (81 kW) DSG - 71
	R 3.640	3.640	
Group 1 ratio	4.056	4.056	
Group 2 ratio			
Group 3 ratio			
Speed 1000 rpm in IV/V/VI/VII (km/h)	32.6/42.7/-/-	30.0/37.5/45.4/-	
Chassis			
Front suspension	Independent McPherson type, coil sp	orings and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydro	aulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake syste	em diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear		
Front brakes (mm)	276×24	276×24	
Rear brakes (mm)	272×10	272×10	
Rims	6J×15 ET43 - 6.5J×16 ET46 7J×16 ET43 - 7.5J×17 ET46	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	
Tyres	195/65 R15 91H 205/55 R16 91V - 225/45 R17 91W	195/65 R15 91H - 205/55 R16 91V 225/45 R17 91W- 205/50R17 93V - 225/4	0 R18 92Y
 Dimensions			
Body type	5D	5D	·
Length/width/height (mm)	4368/1800/1456	4368/1800/1456	4.37/1.8/1.46
Length/width/height FR (mm)	4368/1800/1442	4368/1800/1442	
Wheelbase (mm)	2686	2686	
Wheelbase FR (mm)	2684	2684	
Track front/rear (mm)	ET 45 1545/1516	ET 45 1545/1516	
Track front/rear FR (mm)	ET 51 1534/1516	ET 51 1534/1516	
Boot capacity (I)	380	380	380
Fuel tank capacity (l)	50	50	45
			-
In running order with driver (kg)	1260	1268	
In running order with driver (kg) Front/Rear	755/505	763/505	
Maximum weight allowed (kg)	1750	1750	
Maximum towing weight without brake (kg)	630	630	
Maximum towing weight w/brake 8% (kg)	1300	1500	
Maximum towing weight w/brake 12% (kg)	1100	1300	

<sup>\*</sup> Provisional data

<sup>&</sup>lt;sup>1</sup> This engine will be available from w.42, 2020

Engine		1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-71
Cylinder/Valve (total)		4/16	4/16	4/16	
Displacement (cc)		1498	1498	1498	
Cylinder bore and stroke (mm)		74.5/85.9	74.5/85.9	74.5/85.9	
Compression ratio		12.5	10.5	10.5	
Maximum power (kW (HP)/rpm)		96 (130)/5000 - 6000	110 (150)/5000 - 6000	110 (150)/5000 - 6000	140 (190)
Maximum torque (Nm/rpm)		200/1400 - 4000	250/1500 - 3500	250/1500 - 3500	
Fuel supply system		TSI Direct Injection	TSI Direct Injection	TSI Direct Injection	
Ignition		Electronic map-controlled ignition			
Atmospheric/Supercharged		Turbo charged	Turbo charged	Turbo charged	
Fuel type		ROZ 95	ROZ 95	ROZ 95	
Oil capacity in initial fill (I)		4.8	4.8	4.8	
Emission control					
Alternator (A)		140 ME	140 ME	140 ME	
Battery (Ah/A)		59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420	59 - 68 - 70/320 - 380 - 420	
Performance					
Maximum speed (km/h)		210 (V)	216 (V)	216 (VI)	234*
Acceleration 0-80 km/h (s)		6.3	5.9	5.9	
Acceleration 0-100 km/h (s)		9.4	8.4	8.4	7.3*
Acceleration 80-120 km/h (s)		11.7	10.3	11.4	
Acceleration 1000 m (s)		30.8	29.8	29.7	
Fuel consumption					
Urban (I/100 km)					
Extra urban (I/100 km)		_	_	_	
Combined (I/100 km)		_	-	_	
—————————————————————————————————————					
CO <sub>2</sub> Urban (g/km)		<del>-</del>	-	_	
CO <sub>2</sub> Extra Urban (g/km)		_	_	_	
CO <sub>2</sub> Combined (g/km)		-	-	-	
 Transmission					
Gearbox type		MQ200GA-6F	MQ281-6F	DQ200-7F	
Ratios		3.615	3.750	3.500	
nado5	<u>;</u>	1.947	1.952	2.087	
	<u>"</u> _	1.281	1.200	1.343	
	IV	0.973	0.925	0.933	
	V	0.778	0.767	0.974	
	VI	0.642	0.652	0.778	
	VII	0.042	0.032	0.653	

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

### The data shown is provisional

U	)	
П	٦	
D	>	
_	Н	
_	-	
Ō		
O		
٦		

Transmission		1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-71
	R	3.182	3.583	3.722	
Group 1 ratio		4.056	3.684	4.800	
Group 2 ratio			3.684	3.429	
Group 3 ratio				4.500	
Speed 1000 rpm in IV/V/VI/VII (km/h)		29.8/37.3/45.2/ -	33.9/40.9/48.1/ -	25.8/34.7/43.4/51.7	
Chassis					
Front suspension		Independent McPherson type, coil spri	ngs and hydraulic shock absorber	'	
Rear suspension		Semirigid axle, coil springs and hydrau	lic shock absorber		
Steering System		R-EPS (Rack Electric Power System)			
Turning diameter (m)		10.5/11.2 (between walls)			
Brake system		Dual hydraulic circuit and brake system	n diagonal split with electric brake booster		
Front/Rear brake type		Front ventilated disc brakes and rear so	olid disc brakes		
Front brakes (mm)		288×25	288×25	288×25	
Rear brakes (mm)		272×10	272×10	272×10	
Wheels					
Rims		6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	
Tyres		205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	
Dimensions					
Body type		5D	5D	5D	
_ength/width/height (mm)		4368/1800/1456	4368/1800/1456	4368/1800/1456	4.37/1.8/1.46
ength/width/height FR (mm)		4368/1800/1442	4368/1800/1442	4368/1800/1442	
Wheelbase (mm)		2686	2686	2686	
Wheelbase FR (mm)		2684	2684	2684	
Track front/rear (mm)		ET 45 1545/1516	ET 45 1545/1516	ET 45 1545/1516	
Track front/rear FR (mm)		ET 51 1534/1516	ET 51 1534/1516	ET 51 1534/1516	
Boot capacity (l)		380	380	380	380
Fuel tank capacity (l)		50	50	50	45
Weights					
n running order with driver (kg)		1302	1316	1361	
n running order with driver (kg) Front/Rear		789/513	803/513	837/524	
Maximum weight allowed (kg)		1820	1840	1890	
Maximum towing weight without brake (kg)		650	650	680	
Maximum towing weight w/brake 8% (kg)		1700	1700	1700	
Maximum towing weight w/brake 12% (kg)		1400	1500	1500	

<sup>\*</sup> Provisional data

¹ This engine will be available from w.4, 2021

Engine		2.0 TDI evo 115 HP (85 W) Man-6	2.0 TDI evo 150 HP (110 kW) Man-6 <sup>1</sup> 2.0 TDI evo 150 HP (110 kW) DSG-7	1.5 TGI 130 HP (96 kW) DSG-7 <sup>2</sup>	1.4 eHybrid 205 HP (110-150 kW) DSG-6 <sup>3</sup>
Cylinder/Valve (total)		4/16	4/16		
Displacement (cc)		1968	1968		
Cylinder bore and stroke (mm)		81.0/95.5	81.0/95.5		
Compression ratio		16	16		
Maximum power (kW (HP)/rpm)		85 (115)/2750 - 4250	110 (150)/3000 - 4200	96 (130)	110 (150)
Maximum torque (Nm/rpm)		300/1500 - 2500	360/1700 - 2750		
Fuel supply system		Direct Injection: Common Rail	Direct Injection: Common Rail		
Ignition		Compressed ignition			
Atmospheric/Supercharged		Turbo charged	Turbo charged		
uel type		Diesel	Diesel		
Oil capacity in initial fill (I)		5.0	5.0		
Emission control					
Alternator (A)		140 ME	140 ME		
Battery (Ah/A)		68 - 70/380 - 420	68 - 70/380 - 420		
Performance					
Maximum speed (km/h)		201 (V/VI)	218*/218 (VII)	206*	225*
Acceleration 0-80 km/h (s)		7.1	5.9		
Acceleration 0-100 km/h (s)		10.4	8.9*/8.6	9.7*	6.9*
Acceleration 80-120 km/h (s)		11.2 (V)/14.5 (VI)	16.2		
Acceleration 1000 m (s)		32.4	30.0		
Fuel consumption					
Urban (l/100 km)		-	_	_	
Extra urban (l/100 km)		-	=	=	
Combined (I/100 km)		-	-	-	
CO2 mass emission					
CO₂ Urban (g/km)		-	_	_	
CO2 Extra Urban (g/km)		-	-	-	
CO2 Combined (g/km)		-	-	-	
Transmission					
Gearbox type		MQ281-6F	DQ381-7F		
Ratios	I	3.750	3.579		
	II	1.952	2.750		
	III	1.200	1.677		
	IV	0.878	0.889		
	V	0.711	0.677		
	VI	0.604	0.722		
	VII		0.561		

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

#### 1.4 eHybrid 205 HP (110-150 kW) DSG-6<sup>3</sup> 2.0 TDI evo 115 HP (85W) Man-6 2.0 TDI evo 150 HP (110 kW) Man-6<sup>1</sup> 1.5 TGI 130 HP (96 kW) DSG-7<sup>2</sup> 2.0 TDI evo 150 HP (110 kW) DSG-7 Transmission 3.580 2.900 Group 1 ratio 3.238 4.167 3.238 3.125 Group 2 ratio Group 3 ratio Speed 1000 rpm in IV/V/VI/VII (km/h) 40.7/50.5/59.7/ -31.2/41.0/51.2/66.0 Chassis Front suspension Independent McPherson type, coil springs and hydraulic shock absorber Rear suspension Semirigid axle, coil springs and hydraulic shock absorber R-EPS (Rack Electric Power System) Steering System 10.5/11.2 (between walls) Turning diameter (m) Brake system Dual hydraulic circuit and brake system diagonal split with electric brake booster Front/Rear brake type Front ventilated disc brakes and rear solid disc brakes Front brakes (mm) 288×25 (DCC 312×25) 288×25 (DCC 312×25) 272×10 272×10 Rear brakes (mm) Wheels 6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET43 6.5J×16 ET46 - 7J×16 ET43 Rims 7.5J×17 ET46- 7.5J×18 ET46 7.5J×17 ET46 - 7.5J×18 ET46

The data shown is provisional

Tyres

**Dimensions** 

Body type	5D	5D			
Length/width/height (mm)	4368/1800/1456	4368/1800/1456	4.37/1.8/1.46	4.37/1.8/1.46	
Length/width/height FR (mm)	4368/1800/1442	4368/1800/1442			
Wheelbase (mm)	2686	2686			•
Wheelbase FR (mm)	2684	2684			
Track front/rear (mm)	ET 45 1545/1516	ET 45 1545/1516			•
Track front/rear FR (mm)	ET 51 1534/1516	ET 51 1534/1516			
Boot capacity (l)	380	380	380	380	
Fuel tank capacity (l)	50	50	45	45	
Weights	·				

205/55 R16 91V

225/45 R17 91W - 225/40 R18 92Y

195/65 R15 91H - 205/55 R16 91V

225/45 R17 91W - 225/40 R18 92Y

Weights			
In running order with driver (kg)	1389	1446	
In running order with driver (kg) Front/Rear	869/520	918/528	
Maximum weight allowed (kg)	1930	1980	
Maximum towing weight without brake (kg)	690	720	
Maximum towing weight w/brake 8% (kg)	1800	1800	
Maximum towing weight w/brake 12% (kg)	1500	1600	

<sup>\*</sup> Provisional data

<sup>&</sup>lt;sup>1</sup>This engine will be available from w.4, 2021

<sup>&</sup>lt;sup>2</sup> This engine will be available from w.36, 2020

<sup>&</sup>lt;sup>3</sup> This engine will be available from w.40, 2020

Engine		1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-61	1.0 eTSI 110 HP (81 kW) DSG-72
Cylinder/Valve (total)		3/12		
Displacement (cc)		999		
Cylinder bore and stroke (mm)		74.5/76.4		
Compression ratio		11.5		
Maximum power (kW (HP)/rpm)		66 (90)/5500	81 (110)	81 (110)
Maximum torque (Nm/rpm)		175/1500 - 4000		
Fuel supply system		TSI Directo Injection		
Ignition		Electronic map-controlled ignition		
Atmospheric/Supercharged		Turbo charged		
Fuel type		ROZ 95		
Oil capacity in initial fill (1)		4.3		
Emission control				
Alternator (A)		140 ME		
Battery (Ah/A)		59 - 70/320 - 420		
Performance				
Maximum speed (km/h)		184 (IV)	199	194*
Acceleration 0-80 km/h (s)		8.5		
Acceleration 0-100 km/h (s)		13.1	11.2	11.1*
Acceleration 80-120 km/h (s)		12.3		
Acceleration 1000 m (s)		34.8		
Fuel consumption				
Urban (l/100 km)		-	- -	<del>-</del>
Extra urban (I/100 km)			-	
Combined (I/100 km)			<del>-</del>	
CO₂ mass emission				
CO <sub>2</sub> Urban (g/km)		_		_
CO <sub>2</sub> Extra Urban (g/km)		<del>_</del>		
CO <sub>2</sub> Combined (g/km)		<del>_</del>		
Transmission				
		MQ200-5F		
Gearbox type		3.769		
Ratios	I			
		1.947 1.212		
		0.881		
	IV V			
	V	0.673		
	VI			
	VII			

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

### The data shown is provisional

Transmission	1.0 TSI 90 HP (66 kW) Man-5	1.0 TSI 110 HP (81 kW) Man-61	1.0 eTSI 110 HP (81 kW) DSG - 7 <sup>2</sup>
	R 3.640		
Group 1 ratio	4.056		
Group 2 ratio			
Group 3 ratio			
Speed 1000 rpm in IV/V/VI/VII (km/h)	32.6/42.7/ - / -		
Chassis			
Front suspension	Independent McPherson type, coil spr	rings and hydraulic shock absorber	
Rear suspension	Semirigid axle, coil springs and hydrau	ulic shock absorber	
Steering System	R-EPS (Rack Electric Power System)		
Turning diameter (m)	10.5/11.2 (between walls)		
Brake system	Dual hydraulic circuit and brake syster	m diagonal split with electric brake booster	
Front/Rear brake type	Front ventilated disc brakes and rear s		
Front brakes (mm)	276×24		
Rear brakes (mm)	272×10		
Wheels			
Rims	6J×15 ET43 - 6.5J×16 ET46 - 7J×16 ET4	43 - 7.5J×17 ET46	
Tyres	195/65 R15 91H - 205/55 R16 91V - 22	25/45 R17 91W	
Dimensions			
Body type	5 ST		
Length/width/height (mm)	4642/1799/1448	4.64/1.79/1.45	4.64/1.79/1.45
Length/width/height FR (mm)	4642/1799/1437		
Wheelbase (mm)	2686		
Wheelbase FR (mm)	2684		
Track front/rear (mm)	ET 45 1545/1516		
Track front/rear FR (mm)	ET 51 1534/1516		
Boot capacity (l)	620	620	620
Petrol tank capacity (l)	50	45	45
n running order with driver (kg)	1309		
n running order with driver (kg) Front/Rear	751/558		
Maximum weight allowed (kg)	1750		
Maximum towing weight without brake (kg)	630		
Maximum towing weight w/brake 8% (kg)	1300		
Maximum towing weight w/brake 12% (kg)	1100		

<sup>\*</sup> Provisional data

<sup>&</sup>lt;sup>1</sup> This engine will be available from w.4, 2021 <sup>2</sup> This engine will be available from w.48, 2020

Engine		1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-71
Cylinder/Valve (total)		4/16	4/16	4/16	
Displacement (cc)		1498	1498	1498	
Cylinder bore and stroke (mm)		74.5/85.9	74.5/85.9	74.5/85.9	
Compression ratio		12.5	10.5	10.5	
Maximum power (kW (HP)/rpm)		96 (130)/5000 - 6000	110 (150)/5000 - 6000	110 (150)/5000 - 6000	140 (190)
Maximum torque (Nm/rpm)		200/1400 - 4000	250/1500 - 3500	250/1500 - 3500	
Fuel supply system		TSI Directo Injection	TSI Directo Injection	TSI Directo Injection	
Ignition		Electronic map-controlled ignition			
Atmospheric/Supercharged		Turbo charged	Turbo charged	Turbo charged	
Fuel type		ROZ 95	ROZ 95	ROZ 95	
Oil capacity in initial fill (I)		4.8	4.8	4.8	
Emission control					
Alternator (A)		140 ME	140 ME		
Battery (Ah/A)		59-68 - 70/320 - 380 - 420	59 - 68 - 70/320-380 - 420		
Performance					
Maximum speed (km/h)		213 (V)	217 (V)	217 (VI)	235*
Acceleration 0-80 km/h (s)		6.5	6.1	6.1	
Acceleration 0-100 km/h (s)		9.7	8.8	8.7	7.6*
Acceleration 80-120 km/h (s)		12.2	10.8	11.9	
Acceleration 1000 m (s)		31.2	30.2	30.0	
Fuel consumption					
Urban (I/100 km)		-	-	_	
Extra urban (l/100 km)		-		-	
Combined (I/100 km)		-	=	-	
CO₂ mass emission					
CO2 Urban (g/km)		-	_	_	
CO <sub>2</sub> Extra Urban (g/km)		-	-	-	
CO <sub>2</sub> Combined (g/km)		=	-	_	
Transmission					
Gearbox type		MQ200GA-6F	MQ281-6F	DQ200-7F	
Ratios	I	3.615	3.750	3.500	
	II	1.947	1.952	2.087	
	III	1.281	1.200	1.343	
	IV	0.973	0.925	0.933	
	V	0.778	0.767	0.974	
	VI	0.642	0.652	0.778	
	VII				

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

### The data shown is provisional

SEAT Sportstourer

Transmission		1.5 TSI 130 HP (96 kW) Man-6	1.5 TSI 150 HP (110 kW) Man-6	1.5 eTSI 150 HP (110 kW) DSG-7	2.0 TSI 190 HP (140 kW) DSG-71
	R	3.182	3.583	3.722	
Group 1 ratio		4.056	3.684	4.800	
Group 2 ratio			3.684	3.429	
Group 3 ratio				4.500	
Speed 1000 rpm in IV/V/VI/VII (km/h)		29.7/37.2/45.0/ -	33.9/40.9/48.1/ -	25.8/34.7/43.4/51.7	
Chassis					
Front suspension		Independent McPherson type, coil spri	ngs and hydraulic shock absorber		
Rear suspension		Semirigid axle, coil springs and hydrau	lic shock absorber		
Steering System		R-EPS (Rack Electric Power System)			
Turning diameter (m)		10.5/11.2 (between walls)			
Brake system		Dual hydraulic circuit and brake systen	n diagonal split with electric brake booster		
Front/Rear brake type		Front ventilated disc brakes and rear s	olid disc brakes		
Front brakes (mm)		288×25	288×25	288×25	
Rear brakes (mm)		272×10	272×10	272×10	
Wheels					
Rims		6.5J×16 ET46- 7J×16 ET43 7.5J×17 ET46- 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46	
Tyres		205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	205/55 R16 91V - 225/45 R17 91W 205/50R17 93V - 225/40 R18 92Y	
 Dimensions					
Body type		5 ST	5 ST	5 ST	
Length/width/height (mm)		4642/1799/1448	4642/1799/1448	4642/1799/1448	4.64/1.79/1.45
Length/width/height FR (mm)		4642/1799/1437	4642/1799/1437	4642/1799/1437	
Wheelbase (mm)		2686	2686	2686	
Wheelbase FR (mm)		2684	2684	2684	
Track front/rear (mm)		ET 45 1545/1516	ET 45 1545/1516	ET 45 1545/1516	
Track front/rear FR (mm)		ET 51 1534/1516	ET 51 1534/1516	ET 51 1534/1516	
Boot capacity (l)		620	620	620	620
Petrol tank capacity (l)		50	50	50	45
Weights					
In running order with driver (kg)		1352	1366	1411	
In running order with driver (kg) Front/Rear		784/568	798/568	832/579	
Maximum weight allowed (kg)		1920	1940	1990	
Maximum towing weight without brake (kg)		670	680	700	
Maximum towing weight w/brake 8% (kg)		1700	1700	1700	
Maximum towing weight w/brake 12% (kg)		1400	1500	1500	

<sup>\*</sup> Provisional data

<sup>&</sup>lt;sup>1</sup> This engine will be available from w.10, 2021

Engine	2.0 TDI evo 115 HP (85 kW) Man-6 <sup>1</sup>	2.0 TDI evo 150 HP (110 kW) Man-6 <sup>1</sup> 2.0 TDI evo 150 HP (110 kW) DSG-7	1.5 TGI 130 HP (96 kW) DSG-7 <sup>2</sup>	1.4 eHybrid 205HP (110-150 kW) DSG-6 <sup>3</sup>
Cylinder/Valve (total)		4/16		
Displacement (cc)		1968		
Cylinder bore and stroke (mm)		81.0/95.5		
Compression ratio		16		
Maximum power (kW (HP)/rpm)	85 (115)	110 (150)/3000 - 4200	96 (130)	110 (150)
Maximum torque (Nm/rpm)		360/1700 - 2750		
Fuel supply system		Direct Injection: Common Rail		
Ignition		Compressed ignition		
Atmospheric/Supercharged		Turbo charged		
Fuel type		Diesel		
Oil capacity in initial fill (I)		5.0		
Emission control				
Alternator (A)		140 ME		
Battery (Ah/A)		68-70/380-420		
Performance			'	
Maximum speed (km/h)	200*	218*/218 (VII)	207*	225*
Acceleration 0-80 km/h (s)		6.1		
Acceleration 0-100 km/h (s)	10.7*	9.2*/8.9	10.0*	7.2*
Acceleration 80-120 km/h (s)		16.7		
Acceleration 1000 m (s)		30.3		
Fuel consumption				
Urban (I/100 km)	_	_	-	
Extra urban (l/100 km)	=	=	=	
Combined (l/100 km)	-	-	-	
CO₂ mass emission				
CO2 Urban (g/km)	=	_	-	
CO <sub>2</sub> Extra Urban (g/km)	-	-	-	
CO <sub>2</sub> Combined (g/km)	<del>-</del>	<del>-</del>	-	
- Transmission				
Gearbox type		DQ381-7F		
Ratios	I	3.579		
	ll .	2.750		
	III	1.677		
	IV	0.889		
	V	0.677		
	VI	0.722		
	VII	0.561		

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

### The data shown is provisional

Transmission	2.0 TDI evo 115 HP (85 W) Man-6 <sup>1</sup>	2.0 TDI evo 150 HP (110 kW) Man-6 <sup>1</sup> 2.0 TDI evo 150 HP (110 kW) DSG-7	1.5 TGI 130 HP (96 kW) DSG-7 <sup>2</sup>	1.4 eHybrid 205 HP (110-150 kW) DSG-6 <sup>3</sup>
	R	2.900		
Group 1 ratio		4.167		
Group 2 ratio		3.125		
Group 3 ratio				
Speed 1000 rpm in IV/V/VI/VII (km/h)		31.22/40.96/51.23/66.0		
Chassis				
ront suspension		Independent McPherson type, coil spri	ngs and hydraulic shock absorber	
Rear suspension		Semirigid axle, coil springs and hydrau	lic shock absorber	
Steering System		R-EPS (Rack Electric Power System)		
Turning diameter (m)		10.5/11.2 (between walls)		
Brake system		Dual hydraulic circuit and brake systen	n diagonal split with electric brake boos	ster
Front/Rear brake type		Front ventilated disc brakes and rear s	olid disc brakes	
Front brakes (mm)		288×25 (DCC 312×25)		
Rear brakes (mm)		253×10 (EPB 272×10)		
Wheels				
Rims		6.5J×16 ET46 - 7J×16 ET43 7.5J×17 ET46 - 7.5J×18 ET46		
Tyres		205/55 R16 91V - 225/45 R17 91W - 225/40 R18 92Y		
Dimensions				
Body Type		5 ST		
_ength/width/height (mm)	4.64/1.79/1.45	4642/1799/1448	4.64/1.79/1.45	4.64/1.79/1.45
_ength/width/height FR (mm)		4642/1799/1437		
Wheelbase (mm)		2686		
Wheelbase FR (mm)		2684		
Front/Rear track (mm)		ET 45 1545/1516		
Front/Rear track FR (mm)		ET 51 1534/1516		
Boot capacity (l)	620	620	620	620
Petrol tank capacity (l)	45	50	45	45
Weights				
n running order with driver (kg)		1501		
n running order with driver (kg) Front/Rear		917/584		
Maximum weight allowed (kg)		2080		
Maximum towing weight without brake (kg)		750		
Maximum towing weight w/brake 8% (kg)		1800		
Maximum towing weight w/brake 12% (kg)		1600		

<sup>\*</sup> Provisional data

<sup>&</sup>lt;sup>1</sup> This engine will be available from w.4, 2021 <sup>2</sup> This engine will be available from w.12, 2021

<sup>&</sup>lt;sup>3</sup> This engine will be available from w.40, 2020

Petrol	Reference	Style	Xcellence	FR
1.0 TSI 90HP (66 kW) Man-5	0	0	_	-
1.0 TSI 110HP (81kW) Man-61	0	0	0	0
1.0 eTSI 110 HP (81 kW) DSG-7 <sup>3,7</sup>	-	0	0	0
1.5 TSI 130HP (96 kW) Man-6	-	0	0	0
1.5 TSI 150HP (110 kW) Man-6	-	0	0	0
1.5 eTSI 150HP (110 kW) DSG-7	-	0	0	0
2.0 TSI 190 HP (140 kW) DSG-7 <sup>4,6</sup>	-	_	0	0

Standard O Optional

- Not available

¹ This engine will be available from w.4, 2021 for Leon Sportstourer

<sup>2</sup> This engine will be available from w.40, 2020 <sup>3</sup> This engine will be available from w.42, 2020 for Leon 5D

<sup>4</sup> This engine will be available from w.4, 2021 for Leon 5D

<sup>5</sup> This engine will be available from w.36, 2020 for Leon 5D

<sup>6</sup> This engine will be available from w.10, 2021 for Leon Sportstourer

<sup>7</sup> This engine will be available from w.48, 2020 for Leon Sportstourer

8 This engine will be available from w.12, 2021 for LLeon Sportstourer

For more information about official fuel consumption and CO<sub>2</sub> emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

### The data shown is provisional

Diesel	Reference	Style	Xcellence	FR
2.0 TDI evo 115HP (85 kW) Man-61	0	0	0	0
2.0 TDI evo 150HP (110 kW) DSG-7	-	0	0	0
2.0 TDI evo 150 HP (110 kW) Man-6 <sup>4,1</sup>	-	0	0	0
<b>CNG</b> 1.5 TGI 130 HP (96 kW) DSG-7 <sup>5,8</sup>				
1.5 TGI 150 HP (90KW) D5G-7 ***	<del>-</del>	0		0
PHEV				
1.4 eHybrid 205 HP (110-150 kW) DSG-6 <sup>2</sup>	<del>-</del>	_	0	0

## Dimensions.



888 2686 1068 1545 \* 1799 1516 \* 1991

\* Model with 195/65 R15 ET45



SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental lmpact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.

05/2020. Printed in Spain.

